D-794 Vienna Ferry Tollkeeper's House Vienna c. 1880 Private

The Vienna ferry tollkeeper's house is a single-story, one-room plan frame structure dating from the late nineteenth century, and it is the last surviving nineteenth century structure associated with the operation of a river ferry to remain standing on the lower Eastern Shore. The diminutive, three-bay by one-bay frame building is simply finished with a center, partially glazed door flanked by two-over-two sash windows on its main elevation. The interior has been reworked with the addition of an interior fireplace, but it retains a vertical tongue-and-groove board closet.

A means to cross the Nanticoke River at Vienna has been accomplished in several ways over the past three-and-a-half centuries, but for the longest periods it was by way of a ferry. The creation of a ferry at Vienna is believed by some to predate the following of the town during the third quarter of the seventeenth century, but due to inexact or missing records that tradition is difficult to verify. It was surely developed by the first years of the town's history for the crossing on the Nanticoke at Vienna had been in use for some time when an act of Maryland's General Assembly in 1756 appropriated funds for its improvement. In 1756, it was stated,

Whereas the Ferry at Vienna, upon the River Nanticoke, is a very public and convenient Passage, and, forasmuch as the Road or Causeway through the Vienna Marsh in Somerset County is of great Length, and too Burthensome upon some Inhabitants of said County adjacent thereto....and the Justices of the County Court of Somerset are hereby authorized, improved, and required, at the next November Court....to levy on the taxable Inhabitants of the same County, a Quantity not exceeding Twenty Thousand Pounds of Tobacco....for the making and compleating a good, commodious, and convenient Road and Causeway

through the said Vienna March, from the last land down to the River Nanticoke, opposite to Vienna-Town, in Dorchester County; the said Road or Causeway to have a good and sufficient Foundation of Wood, raised to a Heighth (sic) not to be overflowed by the Water from said River, and of Twelve Feet wide at least upon the Top, well sanded, with one or more turning Places thereon.

The Vienna ferry functioned through the balance of the eighteenth century and into the first quarter of the nineteenth century, when the Nanticoke Bridge Company was established in 1818, although a span was not completed until ten years later in 1828. This bridge, designed with a twenty-six foot wide opening for the passage of river traffic, lasted until the 1860s when its constrictive opening in an age of larger vessels, was subject to damage from passing ships. It proved obsolete and was demolished. The ferry was re-established and it operated until the second quarter of the twentieth century, when in 1931, a new two-lane, concrete bridge was financed by the State of Maryland.

Inventory No. D-794

Maryland Historical Trust Maryland Inventory of Historic Properties Form

| historic | Vienna l | Ferry Tollkeeper's Hou | se | | |
|--|---|--|--------------------------------|------------|---------------------|
| other | Vienna 7 | Γown Hall | | | |
| 2. Location | | | | | |
| street and number | Race Str | reet | 9.5 | | not for publication |
| city, town | Vienna | | | | vicinity |
| county | Dorches | ster | | | |
| 3. Owner of P | roperty | (give names and mailin | g addresses of all owners) | IIe E | |
| name | Town C | ommissioners of Vien | na | | |
| street and number | P. O. B | ox 86 | 2 | telep | hone |
| city, town | Vienna | | state MD | zip code 2 | 21869 |
| 4. Location of | f Legal D | escription | | | |
| 111111111111111111111111111111111111111 | TECHNICOCKID | Dorchester County C | lerk of Court liber | folio | |
| city, town | Cambi | 500 S | tax parcel | tax ID nu | mher |
| 5. Primary Lo | cation o | f Additional Dat | a | , | |
| Contribu Contribu Determir | ting Resource ting Resource ned Eligible for | f Additional Data in National Register District in Local Historic District the National Register/Maryl or the National Register/Mary | and Register | E F | |
| Contribu Contribu Determir Determir Recorde | ting Resource ting Resource ned Eligible for ned Ineligible fo d by HABS/HA | in National Register District in Local Historic District the National Register/Maryl or the National Register/Mar | and Register yland Register | e 1 | |
| Contribu Contribu Determir Determir Recorde Historic | ting Resource ting Resource ned Eligible for ned Ineligible fo d by HABS/HA Structure Repo | in National Register District in Local Historic District the National Register/Maryl or the National Register/Mar ER | and Register yland Register | 2 1 | × 1 1 |

| Description | <u></u> | Inventory No. D-794 | | | -794 | |
|-------------------------------|--------------|---------------------|---|----|----------------|--|
| Condition | | h 17 | 1 | 1. | a ^t | |
| excellent | deteriorated | | | | | |
| x good | ruins | | | | | |

Prepare both a one paragraph summary and a comprehensive description of the resource and its various elements as it exists today.

DESCRIPTION SUMMARY

The old Vienna ferry tollkeeper's house, built around 1880, stands on the south side of Race Street between Market and Water streets as a small town-owned historic site. Moved to this location in the third quarter of the twentieth century, this single-story, one-room plan frame structure is supported on a brick foundation, and it is sheathed with plain weatherboards. The medium pitched gable roof is covered with asphalt shingles. The building faces northeast with the gable roof oriented on a northwest/southeast axis.

GENERAL DESCRIPTION

Moved to this location on Race Street during the second quarter of the twentieth century, this single-story, one-room plan structure, built around 1880, was the ferry keeper's house in its original location by the current boat ramp at the foot of Race Street. Supported on a brick foundation, the exterior is sheathed with plain weatherboard siding, and the medium pitched roof is covered with asphalt shingles. The edges of the roof are extended and finished with sloped soffits.

The northeast (main) elevation is a three-bay façade with a center, partially glazed door and flanking two-over-two sash windows. The door and window surrounds are plain finished.

The northwest gable end is defined by an exterior brick chimney finished with a corbelled base and a single flue stack. Otherwise the end wall is finished with plain weatherboard siding, and the edge of the roof is extended. The southeast gable end is defined by a centered two-over-two sash window, and a four-pane window marks the upper gable.

The southwest (rear) elevation is pierced by a single two-over-two sash window.

The interior is plainly finished, and the only original feature is a beaded vertical board closet located in the southwest corner. The walls and ceiling are covered with plasterboard. The northwest end wall is the location of a small hearth, although the building was never heated by an open fire. Rather, it would have been heated by a small cast iron stove.

| Period | Areas of Significance | Check and ju | ustify below | 6.7 |
|--|---|--|--|---|
| 1600-1699 1700-1799 x _1800-1899 1900-1999 2000- | agriculture archeology x architecture art commerce communications community planning conservation | economics education engineering entertainment/ recreation ethnic heritage exploration/ settlement | health/medicine industry invention landscape architecture law literature maritime history military | performing arts philosophy politics/government religion science social history x_ transportation other: |
| Specific dates | 3-32.9 | w - e = # c | Architect/Builder | = ===================================== |
| Construction da | ates | | | |
| Evaluation for: | V II | 1.0 | , H | 14.6 3 v |
| = 0 | National Register | M (4) | laryland Register | xnot evaluated |

Prepare a one-paragraph summary statement of significance addressing applicable criteria, followed by a narrative discussion of the history of the resource and its context. (For compliance projects, complete evaluation on a DOE Form – see manual.)

SIGNIFICANCE SUMMARY

The Vienna ferry tollkeeper's house is a single-story, one-room plan frame structure dating from the late nineteenth century, and it is the last surviving nineteenth century structure associated with the operation of a river ferry to remain standing on the lower Eastern Shore. The diminutive, three-bay by one bay structure is simply finished with a center, partially glazed door flanked by two-over-two sash windows on its main elevation. The interior has been reworked but retains a vertical beaded board closet in one corner. With the discontinuation of the ferry after the concrete road bridge was erected in 1931, the building was used as a town hall. After its resiting on a new site on the south side of Race Street, it was enhanced with an exterior brick chimney and interior fireplace that were never part of its original construction.

HISTORIC CONTEXT

A means to cross the Nanticoke River at Vienna has been accomplished in several ways over the past three-and-a-half centuries, but for the longest periods it was by way of a ferry. The creation of a ferry at Vienna is believed by some to predate the founding of the town during the late third quarter of the seventeenth century, but due to inexact records that tradition is difficult to verify. It was surely developed by the first years of the town's history for the crossing on the Nanticoke at Vienna had been in use for some time and an act of Maryland's General Assembly in 1756 appropriated funds for its improvement. In 1756, it was stated,

Whereas the Ferry of Vienna, upon the River Nanticoke, is a very public and convenient Passage, and forasmuch as the Road or Causeway through Vienna Marsh in Somerset County is of great Length, and too Burthensome upon the Inhabitants of said County adjacent thereto...and the Justices of the County Court of Somerset are hereby authorized, improved and required, at the next November Court...to levy on the taxable Inhabitants of the same County, a Quantity not exceeding Twenty Thousand Pounds of Tobacco...for the making and compleating a good, commodious, and convenient Road and Causeway through the said Vienna Marsh, from the last Land down to the River

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. D-794

Name Vienna Ferry Tollkeeper's House Continuation Sheet

Number 8 Page 1

Nanticoke, opposite to Vienna-Town, in Dorchester County; the said Road or Causeway to have a good and sufficient Foundation of Wood, raised to a Heighth (sic) not to be overflowed by the Water from the said River, and of Twelve Feet wide at least upon the Top, well sanded, with one or more turning Places thereon.¹

The Vienna ferry functioned through the balance of the eighteenth century and into the first quarter of the nineteenth century, when the Nanticoke Bridge Company was established in 1818, although a wooden span was not completed until ten years later in 1828. This bridge, designed with a twenty-six foot wide opening for the passage of river traffic, lasted until the 1860s when its constrictive opening in an age of larger vessels, was subject to damage from passing ships. It proved obsolete and was demolished. The ferry was re-established and it operated until the second quarter of the twentieth century, when, in 1931, a new, two-lane, concrete bridge was financed by the State of Maryland. The architectural finishes of the ferry tollkeeper's house place its construction around 1880.

¹ Archives of Maryland, LII, Proceedings and Acts of the General Assembly, 1755-1756, p. 656. ² Souvenir Booklet, Vienna, Maryland, 300th Anniversary Celebration, July 15-16, 2006, p. 23.





LINTHICUM & BON Groceries, Hats, Caps, Queensware, &c., and kept in a first class cour OLIVHR B. RICHAE Contractor and Builder.

try done with neatnes taken at all times.

JESSE C.'RICHARDI tractor and Builder. done with neatness and at all times.

at all times.

T. A. WILLIE, Dealer
Hats, Caps, Boots, She
Country Produce taken
at Williams' Road nea
POWELL & NETTL'
Mill on "Big Blackw
cut to order, Customdone

THOMAS KING CA Surgeon, All calls I in Church Creek. W. A. VANE, Ship Ca

VIENNA BUSINESS REFERENCES.

VIENNA BUSINESS REFERENCES.

HITCH & BRO'S., Practical Carriage and Harness makers. Manufacturers of all kinds of Carriage work. We have on hand a good stock of Carriages of our own manufacture. We do Trimming, Repairing, Pannting, and all kinds of Carriage work. Shop on Race street.

C. B. BOSTON, Wheelwright and Undertaker. Wheelwrighting in all its Branches. I Manufacture from the Lightest Buggy to Road Wagons. Repairing done and Solicited, also Undertaking in all its Branches. Shop on Race street.

HOMAS HIGGINS & SON, Merchants and Millers. General Dealers in all kinds of Merchandise, Meal and Flour, Lumber of all kinds, Flooring, Peach and Grape Boxes.

DR. S. B. BWHEL, Physician and Surgeon, will Practice in Dorchester and Wicomico counties, Md. All calls promptly attended to Day and Night. Office on Race street.

DR. BUGHNE HODSON, Physician and Surgeon.

J. H. VANE, Dealer in Dry Goods, Groceries, Hats, Caps, Boots, Shoes, Hardware, Queensware, Willow and Woodenware, Tollet Soaps, Fancy Articles, Drugs, Medicines, Notions, &c. Country Produce of all kinds taken in exchange for goods. Store at Linkwood Station.

V. H.. JONES, Dea Hats, Caps, Boots, ! Wooden and Wille Articles, Drugs, Me Produce taken in e Linkwood Station

SHERMANN & BI er " Anna Ellen," timore. A General

GEORGE A. HARI
done in all its Bra
Horse-Shoeing a
thing in my line wi
in Church Creek I
J. S. VINCENT,

and Express Agent in my line will rec will find me at all

Station. W. H. PHILLIPS, in all its Branche wrighting done to thing in my line v Work done reason

D-794, Vienna Ferry Tollkeeper's House

Lake, Griffing & Stevenson-1877

D-794, Vienna Ferry Tollkeeper's House , U.S. Côastal Survey Map-1847

9. Major Bibliographical References

Inventory No. D-794

Souvenir Booklet, "Vienna, Maryland: 300th Anniversary Celebration, July 15-16, 2006," p. 34.

| 10. Geograph | iicai l | Jata |
|--------------|---------|------|
|--------------|---------|------|

| Acreage of surveyed property Acreage of historical setting | 1/4 acre | | |
|---|---------------------|-------------------|----------|
| Quadrangle name | Mardela Springs, MD | Quadrangle scale: | 1:24,000 |

Verbal boundary description and justification

The metes and bounds of this property are coincidental with the current boundary of the lot.

11. Form Prepared by

| name/title | Paul B. Touart, Architectural Historian | | | |
|-----------------|--|-----------|----------------|--|
| organization | Chesapeake Country Heritage & Preservation | date | 10.11.2010 | |
| street & number | P. O. Box 5 | telephone | 410-651-1094 | |
| city or town | Westover | state | Maryland 21871 | |


The Maryland Inventory of Historic Properties was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust DHCD/DHCP 100 Community Place Crownsville, MD 21032-2023 410-514-7600

STATES
F THE INTERIOR
AL SURVEY





D-794 VINNA FERRY TOUKEEPER'S HOUSE VINNA, DURCITESTER G. MP. NO NOWE AST ELEVATION 10. 2010, PAUL B. TOUANT, DITUTU. WERIJUB. HISTORICA TRUST

1 of 2



D-794 Vienna Fenny Touxerson's House VIENNA PORUMESTER Co. MA WORDNUTST ELEVADON 10. 2010, Pane B. Touser, PUSOD. NER. IMP. HISTORICA TRUST

2 of 2